



10/645003

CofC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Shivakumar Seetharaman

Examiner: Nguyen, Patricia

Patent No.: 6,894,568

Group Art Unit: 2817

Issue Date: May 17, 2005

Docket No: P16185


Title: TRANSIMPEDANCE AMPLIFIER WITH RECEIVE SIGNAL STRENGTH INDICATOR

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


We are transmitting herewith the attached:


- ☒ Request for Certificate of Correction (1 pg.)
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

Customer Number 45459:

By: 
Name: Edmund P. Pfleger
Reg. No. 41,252
EPP/clh

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 28 day of July 2005.


Name


Signature

Certificate
AUG 05 2005
of Correction

AUG 9 - 2005



Patent 6,894,568

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,894,568

Docket No: P16185

Issue Date: May 17, 2005

Patentee: Shivakumar Seetharaman

Title

TRANSIMPEDANCE AMPLIFIER WITH RECEIVE SIGNAL STRENGTH INDICATOR

REQUEST FOR CERTIFICATION OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

As the error is that of the Patent Office, it is believed that no fee is due.

Respectfully Submitted

SHIVAKUMAR SEETHARAMAN

By his Representatives,

Customer Number 45459

Telephone Number 603-668-6560

Date: 7-27-05


By: 


Edmund P. Pflieger

Reg. No: 41,252

EPP/clh

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 28 day of July 2005.


Name


Signature

AUG 9 - 2005

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,894,568

DATED : May 17, 2005

INVENTOR(S) : Shivakumar Seetharaman

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Column 2, Page 1 After "Perreault &" delete "Pfleger" and insert - - Pfleger - - , therefor.

In Column 2, Page 1 After "Edmund P." delete "Pfleger" and insert - - Pfleger - - , therefor.

MAILING ADDRESS OF SENDER:

PortfoliIP
P.O. Box 52050
Minneapolis, MN 55402

Atty Docket No: P16185

PATENT NO. 6,894,568

AUG 9 - 2005

No. of additional copies



AUG 9 - 2005

AUG 9 - 2005